




Beverage Can Sleeving Solution



Images shown are representative only

Features

- Exclusive Former Box technology
- Grows with your business - can be purchased in modules or as a complete solution
- Package includes applicator, tunnel(s), and conveyor.
- Fully integrated system with pitching, line control, product timing, and sleeve wipe down.
- Fully enclosed and interlocked guarding as standard
- Provides greater operational flexibility
- Capable of speeds up to 80 CPM
- Includes tooling for 12 and 16 oz cans
- Easy to install, set up, and maintain
- Optional steam tunnel solution

Graham | Sleeveit - Beverage Can Sleeve Applicator


The Beverage Can Sleeve Solution (BCSS) shrink sleeve labelling applicator combines innovation with functionality to create a fully-guarded, full body primary decoration sleeve applicator that is both efficient and easy to operate. It encompasses all elements of container pitching, timing, sleeve application, and line control in a compact unit that is quick and easy to set up. The BCSS applicator is able to apply sleeves in register with the sleeve artwork, using our exclusive "Former Box" apply technique to accurately form the sleeve opening and deliver it onto the container.

This system provides breweries, mobile canners, and converters the opportunity to save thousands over current canning options. In fact, this system is designed to have a one year payback! Give your Operations the flexibility to run on demand with the Graham | Sleeveit BCSS system by Accraply.

The BCSS applicator is aimed specifically at operations that have the requirement to sleeve up to 80 containers per minute without comprising the quality or reliability of the application. This system has a completely modular design to grow with the demand of your business. Start with a tunnel and conveyor or purchase the entire system at once.

Does your operation want to sleeve filled cans but, don't have the infrastructure for steam or don't want to invest in it? Save Thousands with the BCSSs optional steam tunnel with an onboard steam generator.


Specially designed application and shrinking systems from this range of equipment are available to suit almost any customer requirement. Accraply has over 20 years of in-depth experience in the container decoration field.



Conveyor Height min/max:	900 mm/1000 mm [35.43 inch/39.37 inch]
Container Diameter:	2.6875 inch [12 & 16 oz cans]
Sleeve Length min/max:	123 mm & 156 mm [12 & 16 oz cans]
Maximum Speed:	Up to 80 cans per minute
Material Type	PVC, PET/PETG, OPS, PLA
Material Thickness	40 - 70 microns
Air	72.5 PSI, 5 bar/0.2 m3/min
Electrical:	230 VAC, 1-Phase, 15 Amp
Maximum Unwind Diameter:	350 mm [13.78 in]
Unwind Core Diameter:	76.2 mm [3 in]

Images shown are representative only

** All specification and tooling requirements are subject to Accraply evaluation of all label and product samples. Specifications shown reflect standard machine capabilities. Accraply can also meet other specification requirements. Please call for details.*



Accraply

Trine

Stanford

Graham

Sleevit

Harland

BW Packaging Solutions consist of Accraply, BW Container Systems, Design Group, Paper Converting Machine Company, Pneumatic Scale Angelus, Thiele Technologies and Synerlink. Through their diverse capabilities, these companies can collectively provide everything from a single piece of equipment to fully integrated, tailor-made packaging line solutions for a wide range of industries, including: food and beverage, personal care, container manufacturing, pharmaceutical and medical devices, household products, paper products and textiles, industrial and automotive, and converting, printing and publishing.

BWPackagingSolutions.com

barrywehmiller
bw
betterworld