





152HC Doctor Machine®



Features

- Heavy-duty lift out shafts
- Intuitive touchscreen controls with unlimited recipes
- Pneumatically inert rider rolls for density control
- Two-motor smart AC Vector drive system
- CompactLogix PAC Control
- Reversible over/under winding
- Manual inspection button with return-to-defect
- Taper tension
- Optional inspection area
- Internet based remote diagnostic with WiFi capability

Stanford / 152HC Doctor Machine®



A High Capacity, Light Tension Reversible Doctor Machine®...


the 152HC can handle a wide variety of materials and web widths. The 152HC is suitable for a wide range of materials including: light films, film laminates, non-wovens and light papers.

An optional inspection area is available for the addition of third party functions requiring an open web span.

A manual inspection button allows the operator to return the detected defect to the splice table automatically.

With a touchscreen that defines user-friendly and a powerful two-motor smart AC vector control, the Stanford 152HC is easy to operate for everyone.

Accrply engineers a large selection of Stanford Doctor Machines®, a complete line of duplex differential slitter rewinders and shrink sleeve finishing equipment, as well as customized equipment.



Minimum Web Width	12" [305mm]
Maximum Web Width	50" [1,270mm]
Maximum Web Speed*	1,500 fpm [457 mpm]
Maximum Unwind Diameter	40" [1,016 mm]
Maximum Roll Weight	590 lbs [1,300 Kg]
Maximum Rewind Diameter	40" [1,016 mm]
Tension	1.0 PLI [0.170 Kg/cm]
Total Minimum Tension	6.25 lbf [2.83 Kgf]
Trimming Options	Razor Shear
Machine Options	Strobe Light Bowed Roller Splice Table Shaftless Unwind & Rewind Vacuum Splice Table

* Max speed is a function of the material characteristics (including COF, coatings, ink adhesion, curing, and drying), gauge bands, tension and web width.

Accrply

Trine

Stanford

Graham

Sleevit

Harland

accrply.com

